



**New York City Alliance
Against Sexual Assault**

Contact: Bill O'Reilly, 212-554-4459
Lindsay Dussing, 212-554-4477

FOR IMMEDIATE RELEASE
THREE-YEAR STUDY ON SEXUAL AND DATING VIOLENCE AMONG
NYC HIGH SCHOOL STUDENTS RELEASED BY NEW YORK CITY ALLIANCE
AGAINST SEXUAL ASSAULT, COLUMBIA UNIVERSITY CENTER FOR YOUTH
VIOLENCE PREVENTION

Study Involved 1,454 New York City High School Students

New York Teens Victimized at Rate Higher than National Average

New York, NY-June 23. The New York City Alliance Against Sexual Assault (the Alliance), in collaboration with the Columbia University Center for Youth Violence Prevention, today announced on the steps of City Hall the results of a three-year, comprehensive research project on sexual and dating violence among New York City high school students, and the health impact of that violence on those victimized by it. Preliminary results of the study were included in a 4-page summary released at the announcement entitled, "Partners and Peers: Sexual and Dating Violence Among NYC Youth, Research Summary." <<http://www.nycagainstrape.org/>>. The full 100 page report will be released in July.

The New York City Department of Education granted researchers permission to enroll New York City high school students anonymously with their parents' consent and their own permission with the agreement of school principals and district superintendents. Students from four schools, reflecting a range of those in New York's cultural groups, were asked to participate. Three schools were in Manhattan; one was in Brooklyn. In all, 1,454 high school students ranging in age from 13-21 participated in the study. The majority of participants were 15 or 16 years old.

Findings in the study include:

* One in six participants (16.2%) report having experienced sexual violence at some point in their lives;

- * The percentage of New York teens reporting sexual violence is higher than the national average (nationally, between 7% and 10.2% of 12-17-year-olds report having experienced some form of sexual assault.);
- * 89% of those who have experienced sexual violence knew the person who perpetrated the victimization;
- * 28% of those who reported having perpetrated sexual violence against their dating partner also reported having carried a weapon in the past month;
- * 60% of youth who were physically violent with their dating partners also reported having engaged in other physical fights in the last year;
- * Among those who experienced physical dating violence, more than one quarter (27.4%) reported having been pushed or shoved by a dating partner, and 17% reported having been slapped or hit;
- * Almost 10% of student who reported having a dating partner in the last year said that their partner touched them sexually when they didn't want to be touched and 6.7% said they were forced to have sex against their will;
- * Less than half (41.3%) of the students who self-identified as having experienced physical or sexual dating violence told someone about those experiences;
- * New York City high school students are most likely to tell their friends about sexual or dating violence. 71.8% told friends first. Only 12.8% first told a parent about the violence; 11.5% first told another adult;
- * Only 24.4% of youth experiencing sexual or physical dating violence sought help from a health professional, teacher or guidance counselor;
- * Both victimization and perpetration of physical and sexual dating violence was linked with adverse health outcomes for these youth. Victims of sexual dating violence reported more frequent pain and illness symptoms that results in high physical discomfort (31%) and higher emotional discomfort (28%) than teens who have not experienced sexual dating violence (20% and 18% respectively), and
- * Likewise, victims of physical dating violence also reported poorer health status (28%) and lower self-esteem (25%) than youth who have not experienced physical dating violence (21% and 18% respectively).

The research summary is available at www.nycagainstrape.org

"New York City's young people are subject to sexual and dating violence at rates far higher than national average, according to this study," said Harriet Lessel, Executive Director of the New City Alliance Against Sexual Assault. "These are alarming statistics any way you look at them, and we are hopeful that these findings will highlight an issue that has been kept in the shadows for far too long, and encourage more young people to seek help when they are victimized. We are grateful to the New York City Council for funding this landmark study and to the New York City Department of Education for its courage in allowing such a research project to take place in city schools; the cooperation we received from the four school principals, the teachers, the parents and from the 1,454 students was unprecedented."

Dr. Leslie Davidson, a professor at the Columbia University Mailman School of Public Health and a lead researcher on the study, said "We know the long term adverse

consequences on physical and emotional ill health from partner violence among youth. It is essential that New York City address this problem with a multi-faceted strategy.”

“These data highlight the need for early identification, treatment as well as prevention,” said Dr. Vaughn Rickert, Professor at the Mailman School of Public Health at Columbia University. “Unfortunately, funding for relationship violence among youth is not a priority. Funds need to be made available at the city, state, and federal levels in order to promote sound intervention and prevention strategies for youth.”

The New York City Alliance Against Sexual Assault is a not-for-profit organization that develops advanced strategies, policies and responses that prevent sexual violence and limit its destabilizing effects on victims, families and communities.

The Columbia Center for Youth Violence Prevention (CCYVP) is a multidisciplinary collaboration of researchers, policymakers, and community representatives committed to understanding and reducing youth violence. CCYVP is one of 12 Academic Centers of Excellence funded by the Centers for Disease Control.